


Bōzu

SUSPENSION
APPLIQUE
TABLE LAMP



Bōzu

Struttura in metallo galvanizzato e verniciato nero opaco. Diffusore in vetro triplex di Murano bianco opalino. Illuminazione led.

Galvanized and matt black painted metal frame. Opaline white Murano triplex glass diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall, schwarz matt lackiert. Opalweißer Triplex-Diffusor aus Muranoglas. LED Leuchtsystem.

Estructura de metal galvanizado pintado de negro mate. Difusor de cristal triplex de Murano blanco opalino. Iluminación LED.

Structure en métal galvanisé peint en noir mat. Diffuseur triplex en verre de Murano blanc opalin. Éclairage à LED.

Каркас из металла с гальваническим и матово-черным покрытием. Рассеиватель из трехслойного муранского стекла белого опалового цвета. Светодиодное освещение.

电镀金属灯体结构，刷哑光黑色漆。蛋白石白色穆拉诺三层玻璃灯罩。LED 灯。

هيكل من المعدن المجلفن والمطلي باللون الأسود المعتم. موزع روائح عطرية من زجاج مورانو الثلاثي الطبقة باللون الأبيض الأوبالين. إضاءة ليد.

FINISHINGS

STANDARD FRAME



v90 Nero opaco + Oro puro spazzolato
g26 Matt Black + Brushed pure gold

FINISHINGS

SMOOTH CONICAL SECTION*



g26 Oro puro spazzolato
Brushed pure gold

* CUSTOM COLOR AVAILABLE ONLY FOR SMOOTH CONICAL SECTION

MATERIALS


STANDARD



c01 Cuoio marrone
Brown leather*

* ONLY FOR BŌZU S3 LN | S8 OV | S6 OV

STANDARD CABLES



BÖZU S1



Ø 14 cm / 5.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING


UP 4,7 W CRI>90
3000 K – 725 NOMINAL LM
DOWN 4,7 W CRI>90
3000 K – 725 NOMINAL LM

ON REQUEST

UP 4,7 W CRI>90
2700 K – 672 NOMINAL LM
DOWN 4,7 W CRI>90
2700 K – 672 NOMINAL LM

DIMMABLE

TRIAC



BÖZU S3 LN



W 160 cm / 63.00"
D 14 cm / 5.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING


UP 18 W CRI>90
3000 K – 2175 NOMINAL LM
DOWN 18 W CRI>90
3000 K – 2175 NOMINAL LM

ON REQUEST

UP 18 W CRI>90
2700 K – 2016 NOMINAL LM
DOWN 18 W CRI>90
2700 K – 2016 NOMINAL LM

DIMMABLE

0-10V



BÖZU S8 OV



W 168 cm / 66.10"
D 72 cm / 27.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING


UP 48 W CRI>90
3000 K – 5800 NOMINAL LM
DOWN 48 W CRI>90
3000 K – 5800 NOMINAL LM

ON REQUEST

UP 48 W CRI>90
2700 K – 5376 NOMINAL LM
DOWN 48 W CRI>90
2700 K – 5376 NOMINAL LM

DIMMABLE

0-10V



BÖZU S6 OV



W 120 cm / 47.25"
D 72 cm / 27.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING


UP 36 W CRI>90
3000 K – 4350 NOMINAL LM
DOWN 36 W CRI>90
3000 K – 4350 NOMINAL LM

ON REQUEST


UP 36 W CRI>90
2700 K – 4032 NOMINAL LM
DOWN 36 W CRI>90
2700 K – 4032 NOMINAL LM

DIMMABLE


0-10V




BÖZU TL		CE	
Ø	14 cm / 5.50"		
H	26 cm / 10.20"		
STANDARD INTEGRATED LED LIGHTING			
6 W CRI>90			
3000 K – 725 NOMINAL LM			
ON REQUEST			
6 W CRI>90			
2700 K – 672 NOMINAL LM			
DIMMABLE			
OWN BUTTON			




BÖZU A1		CE	
W	14 cm / 5.50"		
D	22 cm / 8.70"		
H	31 cm / 12.20"		
STANDARD INTEGRATED LED LIGHTING			
UP	4,7 W CRI>90		
	3000 K – 725 NOMINAL LM		
DOWN	4,7 W CRI>90		
	3000 K – 725 NOMINAL LM		
ON REQUEST			
UP	4,7 W CRI>90		
	2700 K – 672 NOMINAL LM		
DOWN	4,7 W CRI>90		
	2700 K – 672 NOMINAL LM		
DIMMABLE			
TRIAC			




BÖZÜ C3 RD 40		CE	RoHS
Ø	40 cm / 15.74"		
HMAX	160 cm / 63.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	18 W CRI>90 3000 K – 2175 NOMINAL LM		
DOWN	18 W CRI>90 3000 K – 2175 NOMINAL LM		
ON REQUEST			
UP	18 W CRI>90 2700 K – 2016 NOMINAL LM		
DOWN	18 W CRI>90 2700 K – 2016 NOMINAL LM		
DIMMABLE			
0-10V			



BÖZÜ C5 RD 60		CE	RoHS
Ø	60 cm / 23.60"		
HMAX	160 cm / 63.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	30 W CRI>90		
	3000 K – 3625 NOMINAL LM		
DOWN	30 W CRI>90		
	3000 K – 3625 NOMINAL LM		
ON REQUEST			
UP	30 W CRI>90		
	2700 K – 3360 NOMINAL LM		
DOWN	30 W CRI>90		
	2700 K – 3360 NOMINAL LM		
DIMMABLE			
0-10V			




BÖZÜ C7 RD 80		CE	
Ø	80 cm / 31.50"		
HMAX	160 cm / 63.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	42 W CRI>90 3000 K – 5075 NOMINAL LM		
DOWN	42 W CRI>90 3000 K – 5075 NOMINAL LM		
ON REQUEST			
UP	42 W CRI>90 2700 K – 4704 NOMINAL LM		
DOWN	42 W CRI>90 2700 K – 4704 NOMINAL LM		
DIMMABLE			
0-10V			




Ⓜ : for the US market, refer to the relevant price list.


SINGLE CANOPY

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 12 cm / 4.70" H 4 cm / 1.60"	● G26 + ● V91	BÔZU S1

SINGLE CANOPY


	SIZE	FINISHINGS	PRODUCT NAME
	Ø 18 cm / 7.10" H 4 cm / 1.60"	● G26 + ● V91	BÔZU S3 LN

SINGLE CANOPY

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 22 cm / 8.70" H 4 cm / 1.60"	● G26 + ● V91	BÔZU S6 OV BÔZU S8 OV


ROUND CANOPY RD 40

SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	● V91	BÖZÜ C3 RD 40
H	4 cm / 1.60"		



ROUND CANOPY RD 60

SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	BÖZÜ C5 RD 60
H	4 cm / 1.60"		



ROUND CANOPY RD 80

SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	BÖZÜ C7 RD 80
H	4 cm / 1.60"		

